



SELECTION

SAFETY SHOES, WORK & OUTDOOR
FASHION 2023



albatros-work.com

 **albatros**[®]
MADE TO PROTECT



OVERVIEW

NEWS

FALL-WINTER 202304

OVERVIEW

WORK & OUTDOOR FASHION	08
WORKWEAR.....	14
RAINWEAR AQUALOCK.....	16
ACCESSORIES.....	16
SAFETY SHOES	20
WORK & TREKKING SHOES.....	26
BOOTS	28
SAFETY STANDARDS.....	30



ALBATROS® is one of the leading German brands in the sector of performance safety footwear as well as work & outdoor fashion. All ALBATROS® products are designed and developed by an international team of PPE experts in Germany. For over 40 years ALBATROS constantly improves quality, comfort functionality and design. With one goal: to support professionals every day in successfully mastering their challenges!

ALBATROS® - MADE TO PROTECT.





NEWS

OVERVIEW 2023/24



NEW

TREKKING SHOES & CARE



67.671.0
LOFOTEN 2.0 BROWN CTX MID
Sizes: 40 - 46



67.672.0
LOFOTEN 2.0 BLACK CTX MID
Sizes: 40 - 46



65.670.0
LOFOTEN 2.0 BROWN CTX LOW
Sizes: 40 - 46



67.647.0
TERANO GREY CTX MID
Sizes: 36 - 46



20.910.0
ALBATROS SHOE CARE SET

NEW



25.527.0
CLAY // KNITTED CAP
Sizes: One Size

NEW

Pack of 3



24.040.0
PROTECTION TRIO // ALLROUND SOCK
Sizes: 39/42, 43/46

NEW



26.418.0
HAWLEY // HOODIE
Sizes: S - 3XL

NEW
COLOR



26.471.0
KINGSLEY // KNITTED/RECYCLING JACKET
Sizes: S - 3XL

NEW
COLOR



26.433.0
CONCEPT KNIT // KNITTED/SOFTSHELL JACKET
Sizes: S - 3XL

NEW



27.487.0
HADLEY // RAIN JACKET
Sizes: S - 3XL



NEWS

OVERVIEW 2023/24

NEW

SAFETY SHOES

6



63.804.0 | 64.803.0

TARAVAL BLACK/BLUE MID | LOW

S3L ESD FO SR
Sizes: 36-50



64.804.0

FASTPACK BLACK/BLUE LOW

S1PL ESD FO SR
Sizes: 36-50



64.806.0

FORGE AIR BLACK/BLUE LOW

S1 ESD FO SR
Sizes: 36-50



63.802.0 | 64.802.0

TARAVAL BROWN MID | GREY LOW

S3L ESD FO SR
Sizes: 36-47



EFFECTFOAM

ACTIVE ENERGY RETURN UP TO 60%

NEW

STAY FLEXIBLE

FLEXLITE



INDUSTRY, ASSEMBLY, PRODUCTION, CRAFTS

1

FLEXLITE OUTSOLE

The noticeably light and ergonomic sole architecture with differently sized lugs and curved grooves ensures optimum liquid displacement and supports a natural rolling movement. Wear-resistant TPU inserts in the areas subject to the greatest strain and reinforced arch support ensure a secure grip, especially on industrial floors. The distinctive heel enables outstanding grip on ladders.

2



EFFECT.FOAM® MIDSOLE

Tireless comfortable!

- 60% energy return
- 47% less impact on bones and joints*
- extremely powerful and light
- permanently high level of comfort for fatigue-free work

*Dynamic energy absorption reduces the impacts to 1.6KN, the average for safety shoes is 3.0KN.

3

HEEL & ARCH SUPPORT

The three-dimensional element formed directly from the EFFECT.FOAM® midsole surrounds the heel and supports the midfoot. This ensures maximum hold, protects against ankle twists while also enabling a natural rolling movement of the foot.



EVERCUSHION® RELIEF^T FOOTBED

Maximum performance for your work shoes. The evercushion® RELIEF footbed consists of two different layers that fit together precisely. The upper layer is made from memory foam and adapts perfectly to the shape of the foot, offering cushioning just where it's most needed. The bottom layer is made of evercushion® foam and provides optimum pressure relief and durable cushioning. A specially adapted arch support keeps the foot in a natural position inside the shoe and stimulates the muscles while walking. The wavy grooves on the bottom stop the footbed from sliding inside the shoe. This is the comfort and support you need to get your job done.

7



WORK & OUTDOOR FASHION

AS VERSATILE AS YOUR LIFE!

NEW

HIGHLIGHTS

NEW
COLOR



26.433.0
CONCEPT KNIT // RECYCLING JACKET
S - 3XL

NEW
COLOR

GREEN HEART



26.471.0
KINGSLEY // RECYCLING JACKET
S - 3XL

NEW



26.418.0
HAWLEY // HOODIE
S - 3XL



WORK & OUTDOOR FASHION



27.092.0
CELSIUS // WORKER PARKA
S - 4XL

ALSO AVAILABLE AS A VEST!



27.094.0
RANDERS // WORKER PARKA
S - 3XL



27.200.0
ALLROUNDER // PILOT JACKET 2 IN 1
S - 4XL



27.059.0
PIZZARO // JACKET
S - 3XL



YKK CORDURA
28.660.0
EXPERT 360° // PILOT JACKET
S - 3XL



QUILTED, RED LINING

27.043.0
FREESTYLE SR // JACKET
XS - 3XL



REMOVABLE SLEEVES

27.093.0
AMPERE // PILOT JACKET 2 IN 1
S - 3XL



26.705.0
PARRY // QUILTED JACKET
S - 3XL



GREEN HEART

26.710.0
TOLEDO // RECYCLING HYBRID JACKET
S - 3XL



26.704.0
BRADLEY // HYBRID JACKET
S - 3XL



26.708.0
TOSMAR // QUILTED / SOFTSHELL JACKET
S - 3XL



26.707.0
NARES // QUILTED JACKET
S - 3XL

ALSO AVAILABLE AS A VEST!



26.706.0
CONCEPT JACKET // QUILTED JACKET
S - 3XL



DAY / NIGHT (reflecting)

26.463.0
AVERY // SOFTSHELL JACKET
S - 3XL



26.709.0
WICKLOW // HYBRID JACKET
S - 3XL



26.371.0
KEPLER // SOFTSHELL JACKET
S - 3XL



26.469.0
FRASER // FUNCTIONAL JACKET
S - 3XL



26.468.0
LAWRENCE // SOFTSHELL JACKET
S - 3XL



26.472.0
LISTER // SOFTSHELL / KNITTED JACKET
S - 3XL



26.459.0
STIRLING // KNITTED SOFTSHELL JACKET
S - 3XL

NEW
COLOR



26.433.0
CONCEPT KNIT // KNITTED/
SOFTSHELL JACKET
S - 3XL

NEW
COLOR

REPEL

GREEN HEART



26.471.0
KINGSLEY // RECYCLING JACKET
S - 3XL



26.448.0
MITCHELL // KNITTED FLEECE/
SOFTSHELL JACKET
S - 3XL



26.446.0
MAXWELL // KNITTED SOFTSHELL JACKET
S - 3XL

ALSO AVAILABLE
AS A JACKET!



27.976.0
TIBER // WORKER VEST
S - 3XL

ALSO AVAILABLE
AS A JACKET!



27.993.0
KERRY // FLEECE VEST
S - 3XL



27.984.0
TESLA // WORKER VEST
S - 4XL



29.975.0
HERTZ // WORKER VEST
S - 4XL



26.455.0
ALDRIN // FLEECE JACKET
S - 3XL



26.441.0
NAVARRA // KNITTED SOFTSHELL JACKET
S - 3XL



26.234.0
PILE // KNITTED/ FLEECE JACKET
S - 3XL



26.444.0
MARIBO // FLEECE JACKET
S - 3XL



27.705.0
CONCEPT VEST // VEST
S - 3XL



27.704.0
COOPER // HYBRID-VEST
S - 3XL



27.931.0
EDISON // WORKER VEST
S - 4XL



28.665.0
EXPERT 360° // SOFTSHELL VEST
S - 3XL



26.232.0
STRUCTURE // FLEECE JACKET
S - 3XL



26.439.0
FREESTYLE SR // FLEECE JACKET
XS - 3XL

SEITLICHER
DRUCK



26.273.1
POLAR // WARMFLEECE-JACKET
S - 4XL



29.210.0
TILER // THERMOSHIRT
S - 3XL




29.041.0
BRONZE 1/2 //
SHORT SLEEVE SHIRT
39/40 - 49/50



29.051.0
BRONZE 1/1 // LONG SLEEVE SHIRT
39/40 - 47/48



dark blue (303) -
modern fit



nature-combined (851) -
normal fit



green-nature (656) -
normal fit



grey-combined (824) -
normal fit



26.418.0
HAWLEY // HOODIE
S - 3XL



29.782.0
CLIMA // FUNCTIONAL SHIRT
S - 3XL



29.704.0
NAVAN // T-SHIRT
S - 3XL



29.805.0
DERVOCK // T-SHIRT
S - 3XL



29.804.0
CORBET // T-SHIRT
S - 3XL



26.480.0
TYNAN // SWEATSHIRT
S - 3XL



26.419.0
KOLARI // SWEATSHIRT-JACKET
S - 3XL



28.106.0
CONCEPT STRETCH TRS //
STRETCH-TROUSER
S - 3XL



28.105.0
SKILL 4D TRS // STRETCH-TROUSER
S - 3XL



WORKWEAR

HIGHLIGHTS



EXPERT 360°



CORDURA YKK
28.660.0
EXPERT 360° // PILOT JACKET
S - 3XL



YKK
28.665.0
EXPERT 360° // SOFTSHELL VEST
S - 3XL



CORDURA YKK
28.662.0
EXPERT 360° // TROUSERS
24 - 27, 48 - 58



CORDURA YKK
28.663.0
EXPERT 360° // SHORTS
50 - 56

PROFI LINE



28.635.0
PROFI LINE // JACKET
XS - 4XL



28.638.0
PROFI LINE // SHORTS
XS - 4XL



28.637.0
PROFI LINE // DUNGAREES
XS - L, 3XL, 4XL



28.636.0
PROFI LINE // TROUSERS
royal-blue: XS, XL - 4XL | 46, 54 - 60
grey-black: XS, M - 4XL | 46, 50 - 60





RAINWEAR



27.450.0
FORECAST JKT // PU-STRETCH RAIN JACKET
S - 3XL



27.449.0
FAHRENHEIT JKT // PU-STRETCH RAIN JACKET
S - 3XL



27.477.0
CLIMATE JKT // PU-STRETCH RAIN JACKET
S - 3XL



27.486.0
METEO // ANORAK
S - 3XL



27.452.0
FORECAST TRS // PU-STRETCH-RAIN TROUSERS
S - 3XL



27.446.0
FAHRENHEIT TRS // PU-STRETCH-RAIN TROUSERS
S - 3XL



27.453.0
FAHRENHEIT OVERALL // PU-STRETCH-RAIN OVERALL
M - 3XL



27.445.0
FAHRENHEIT LAZHOSE // PU-STRETCH-DUNGAREES
S - 3XL

NEW



27.487.0
HADLEY // RAIN JACKET
S - 3XL



27.544.0
CYCLONE // RAIN CAPE
M/L



27.543.0
SUPERCELL // RAIN SUIT
S - 3XL



COA.TEX MEMBRANES
27.547.0
WRAP ME CTX // RAIN JACKET
M - 2XL



ACCESSORIES



25.526.0
HUSKY // KNITTED CAP
ONLY IN ASSORTMENS: 10 PIECES
5 pieces black-blue, 5 pieces black-orange



NEW
25.527.0
CLAY // KNITTED CAP
ONLY IN ASSORTMENS: 10 PIECES/COLOUR



25.525.0
HIVIS THERMO // KNITTED CAP
ONLY IN ASSORTMENS: 10 PIECES



25.524.0
POLARGUARD // KNITTED CAP
ONLY IN ASSORTMENS: 10 PIECES
4 pieces grey-black, 4 pieces blue-black & 2 pieces green-black



25.522.0
FREEZEGUARD // KNITTED CAP
ONLY IN ASSORTMENS: 10 PIECES/COLOUR



25.519.0
WINTER PRO // KNITTED CAP
ONLY IN ASSORTMENS: 10 PIECES



25.066.0
ICEBREAKER // MIKROFLEECE-GLOVES
Sizes S - 3XL



23.106.0
PADDOCK FLEX // BUCKLE BELT
120 cm (cut-to-fit)



25.530.0
HARVESTER // STRAW HAT
Sizes: 55/56 - 61/62



25.505.0
TRILBY // STRAW HAT
Sizes: 54 - 61



25.423.0
POWER // SOFTSHELL-BASEBALLCAP
ONLY IN ASSORTMENS: 10 PIECES/COLOUR



25.442.0
EASKY // BASEBALLCAP
ONLY IN ASSORTMENS: 10 PIECES/COLOUR



25.792.0
BOGART // WOOLFELT HAT
Sizes: 55/56 - 61/62



24.093.0
ARCTIC WOOL // SHEEP'S WOOL SOCK
Sizes: 39/40, 41/42, 43/44, 45/46, 47/48



24.092.0
NORWEGER SH // NORWEGIAN SHORT SOCKS
Sizes: 39/40, 41/42, 43/44, 45/46, 47/48



26.947.0
THERMOGETIC LA // THERMO-FUNCTIONAL SHIRT
Sizes: S - 2XL (5 - 9)



26.948.0
THERMEGETIC TRS // THERMO-FUNCTIONAL TROUSER
Sizes: S - 2XL (5 - 9)



3 PAIRS = 1 PRICE
24.036.0
CONTROL TRIO // SNEAKER-WORKER SOCK
Sizes: 39/42, 43/46



24.031.0
SAFE & SOFT // ALLROUND SOCK
Sizes: 39/42, 43/46



2 PAIRS = 1 PRICE
24.037.0
TEMPO DUO // LONG SHAFT WORKER SOCK
Sizes: 39/42, 43/46



24.140.0
GUARD // WORKER SOCK
Sizes: 39/41, 42/44, 45/47



SOFT INNER SIDE
24.080.0
THERMO CONTROL SH // SHORT BOOT SOCK
Sizes: 39/41, 42/44, 45/47, 48/52



SOFT INNER SIDE
24.090.0
THERMO CONTROL LG // LONG SHAFT BOOT SOCK
Sizes: 39/41, 42/44, 45/47, 48/52



24.038.0
WORK ESD // WORKER SOCK
Sizes: 39/41, 42/44, 45/47



NEW
3 PAIRS = 1 PRICE
24.040.0
PROTECTION TRIO // WORKER SOCK
Sizes: 39/42, 43/46



SHOES & BOOTS

WE CONCENTRATE ON THE ESSENTIAL -
YOUR SAFETY

As varied as the daily challenges you have to face. ALBATROS® safety shoes are designed and developed by an international team of experts for personal protection equipment (PSA). For more than 40 years we increase quality, comfort, functionality and design in the long term for your safety.

NEW

HIGHLIGHTS



64.804.0
FASTPACK BLACK/BLUE LOW
FLEXLITE



63.802.0
TARAVAL BROWN MID
FLEXLITE


OVERVIEW

SAFETY SHOES

EN ISO 20345:2011 Safety footwear with protective toe cap for high loads that offer protection against impacts with an energy of up to 200 joules and withstand compression with up to 15,000 Newton.



Basic requirements e.g. tear strength and water-repellent properties of the upper as well as substance, tear strength, abrasion resistance, resistance to flex cracking and oil resistance of the outsole. Can be with open seat region (Safety Basic - SB).



as SB, additionally closed seat region, antistatic properties and energy absorption of the seat region.



Additionally to the basic requirements with closed heel area, antistatic, energy absorption of the heel area, fuel and oil resistant outsole and with penetration resistant midsole.



as SB, additionally to the basic requirements with closed heel area, antistatic, energy absorption of the heel area, fuel and oil resistant outsole and with penetration resistant midsole.



64.662.0
ENERGY IMPULSE LOW
S1P ESD HRO SRA
Sizes: 39 - 47



64.666.0
ENERGY IMPULSE GREY LOW
S1P ESD HRO SRA
Sizes: 39 - 47



64.660.0
LIFT RED IMPULSE LOW
S1P ESD HRO SRA
Sizes: 39 - 47



64.661.0
LIFT BLUE IMPULSE LOW
S1P ESD HRO SRA
Sizes: 39 - 47



64.670.0
LIFT GREY IMPULSE LOW
S1P ESD HRO SRA
Sizes: 38 - 47



64.673.0
ULTIMATE IMPULSE OLIVE LOW
S1P ESD HRO SRA
Sizes: 38 - 47



64.804.0
FASTPACK BLACK/ BLUE LOW
S1PL ESD FO SR
Sizes: 36 - 50



64.753.0
JETSTREAM IMPULSE LOW
S1 ESD HRO SRA
Sizes: 36 - 47



64.878.0
CLIFTON AIR LOW
S1 ESD SRC
Sizes: 36 - 47



64.806.0
FORGE AIR BLACK/BLUE LOW
S1 ESD FO SR
Sizes: 36-50



64.629.0
STUNNING LOW
S1P ESD HRO SRC
Sizes: 36 - 47



64.630.0
SPELNDID GREEN GH LOW
S1P ESD HRO SRC
Sizes: 36 - 47



64.521.0
TWIST RED WNS LOW
S1P ESD HRO SRC
Sizes: 36 - 42



64.520.0
TWIST PINK WNS LOW
S1PL ESD HRO SRC
Sizes: 36 - 42



64.766.0
AER58 BLUE LOW
S1P ESD HRO SRC
Sizes: 39 - 48



64.765.0
AER58 GREEN LOW
S1P ESD HRO SRC
Sizes: 39 - 48



64.767.0
VOLTAGE BLACK QL LOW
S1P ESD HRO SRC
Sizes: 39 - 48



64.139.0
SILVER RACER XTS LOW
S1P HRO SRC
Sizes: 39 - 47



64.877.0
DRIFTER BLACK LOW
S1P SRC
Sizes: 36 - 47



64.873.0
DRIFTER GREEN LOW
S1P SRC
Sizes: 36 - 47



64.880.0
TWISTER DY NAVY LOW
S1P ESD SRC
Sizes: 36 - 47



64.764.0
COURT BLUE LOW
S1P ESD HRO SRC
Sizes: 39 - 48



64.763.0
COURT GREY LOW
S1P ESD HRO SRC
Sizes: 39 - 48



64.761.0
COURT SAND LOW
S1P ESD HRO SRC
Sizes: 39 - 48



64.750.0
AER55 IMPULSE BLACK BLUE LOW
S1P ESD HRO SRA
Sizes: 36 - 47



64.879.0
RIDER BLACK LOW
S1P ESD SRC
Sizes: 36 - 47



64.750.2
AER55 IMPULSE BLACK BLUE QL LOW
S1P ESD HRO SRA
Sizes: 36 - 47



64.751.0
AER55 IMPULSE BLUE ORANGE LOW
S1P ESD HRO SRA
Sizes: 36 - 47



64.752.0
BREEZE IMPULSE LOW
S1P ESD HRO SRA
Sizes: 36 - 47



64.752.8
BREEZE IMPULSE QL LOW
S1P ESD HRO SRA
Sizes: 36 - 47

SOFT TOE OCCUPATIONAL



DUAL.IMPULSE ST
without toecap-protection



DYNAMIC ST
without toecap-protection

S3

as S1P, additionally water resistant properties, penetration resistant midsole and cleated outsole.



64.870.0
CLIFTON LOW
S3 SRC
Sizes: 36 - 47



64.871.0
GRID LOW
S3 SRC
Sizes: 36 - 47



63.870.0
CLIFTON MID
S3 SRC
Sizes: 36 - 47



64.760.0
COURT BLACK LOW
S3 ESD HRO SRC
Sizes: 39 - 48



63.175.0
X-TREME CTX MID
S3 WR HRO SRC
Sizes: 39 - 47

NEW



EN ISO 20345:2022



63.804.0
TARAVAL BLACK/BLUE MID
S3L ESD FO SR
Sizes: 36 - 50

NEW



EN ISO 20345:2022



64.803.0
TARAVAL BLACK/BLUE LOW
S3L ESD FO SR
Sizes: 36 - 50



63.150.0
RIGGER BOOT BRN
S3 CI SRC
Sizes: 40 - 47



64.133.0
TIMBER LOW
S3 SRC
Sizes: 39 - 47



63.134.0
TIMBER MID
S3 SRC
Sizes: 39 - 47



64.134.0
GRAVEL LOW
S3 SRC
Sizes: 39 - 47

NEW



EN ISO 20345:2022



63.802.0
TARAVAL BROWN MID
S3L ESD FO SR
Sizes: 36 - 47

NEW



EN ISO 20345:2022



64.802.0
TARAVAL GREY LOW
S3L ESD FO SR
Sizes: 36 - 47



63.133.0
GRAVEL MID
S3 SRC
Sizes: 39 - 47



63.186.1
UNIT BAU MID
S3 SRC
Sizes: 39 - 47



63.850.0
TOFANE BLACK QL CTX MID
S3 WR ESD HRO SRC
Sizes: 40 - 47



64.851.0
TOFANE BLACK QL LOW
S3 ESD HRO SRC
Sizes: 40 - 47



63.190.0
SOLID MID
S3 SRC
Sizes: 39 - 47



64.185.0
SOLID LOW
S3 SRC
Sizes: 37 - 47



64.187.0
INNOVATIVE LOW
S1P SRC
Sizes: 39 - 47



64.852.0
ANTELAO QL LOW
S3 ESD HRO SRC
Sizes: 40 - 47



64.621.0
ULTRATRAIL GREY LOW
S3 ESD HRO SRC
Sizes: 36 - 47



63.622.0
ULTRATRAIL OLIVE CTX MID
S3 ESD WR HRO SRC
Sizes: 39 - 47



63.620.0
ULTRATRAIL BLACK MID
S3 ESD HRO SRC
Sizes: 39 - 47



64.188.0
SAFE LOW
S3 SRC
Sizes: 39 - 47



63.184.0
SAFE MID
S3 SRC
Sizes: 39 - 47



63.180.0
COMPACT MID
S3 SRC
Sizes: 36 - 48



63.183.1
NORDIC HIGH
S3 CI SRC
Sizes: 39 - 47



64.620.0
ULTRATRAIL BLACK LOW
S3 ESD HRO SRC
Sizes: 36 - 47



64.146.0
RUNNER XTS LOW
S3 HRO SRC
Sizes: 39 - 47



63.169.0
RUNNER XTS MID
S3 HRO SRC
Sizes: 39 - 47



64.108.0
GRAVITATION LOW
S3 SRC
Sizes: 39 - 48



20.485.0
EVERCUSHION® CUSTOM FIT
FOOTBED

Colours: LOW red (500), MID green (600), HIGH yellow (700)
Sizes: 35 - 49



20.480.0
COMFIT®RELAX
MEMORY FOAM FOOTBED

Colour: red (500)
Sizes: 39 - 47



20.475.0
COMFIT®AIR
FOOTBED

Colour: black (200)
Sizes: 36 - 47



63.108.0
GRAVITATION MID
S3 SRC
Sizes: 39 - 48



63.112.0
GRAVITY CTX MID
S3 WR SRC
Sizes: 39 - 48



63.132.0
ENDURANCE MID
S3 SRC
Sizes: 39 - 47



64.135.0
ENDURANCE LOW
S3 SRC
Sizes: 39 - 47



TREKKING, LEISURE & WORK



01

ACCORDING TO
EN ISO 20347:2012



65.490.0
AER55 ST BLACK LOW
O1 ESD HRO SRA
Sizes: 36 - 47



65.252.1
ACADIA GREY WNS LOW
O1 HRO SRC
Sizes: 36 - 42



64.901.0
DRIFTER BLACK ST LOW
O1 ESD SRC
Sizes: 36 - 47



65.443.0
VIALE BLACK LOW
O1 HRO SRC
Sizes: 36 - 47



65.491.0
AER55 ST WHITE WNS LOW
O1 ESD HRO SRA
Sizes: 36 - 42



65.494.0
AER55 ST BLACK BLUE LOW
O1 ESD HRO SRA
Sizes: 36 - 47



65.495.0
AER55 ST BLUE LOW
O1 ESD HRO SRA
Sizes: 41 - 47

02

ACCORDING TO
EN ISO 20347:2012



65.493.0
WHIZ ST BLACK LOW
O2 ESD HRO SRA
Sizes: 36 - 47



67.758.0
ISCHGL CTX MID
O2 WR HRO SRC
Size: 36 - 47



67.770.0
TRENTO CTX MID
O2 WR HRO SRC
Sizes: 36 - 47



67.777.0
BRIONE CTX MID
O2 WR HRO SRC
Sizes: 36 - 47



65.447.0
BRIONE CTX LOW
O2 WR HRO SRC
Sizes: 39 - 47



65.492.0
WHIZ ST WHITE WNS LOW
O2 ESD HRO SRA
Sizes: 36 - 42



64.902.0
CLIFTON ST LOW
O2 ESD SRC
Sizes: 36 - 47

NON
SAFETY

TREKKING SHOES



67.752.0
HIGHLANDS CTX MID
Sizes: 37 - 47



67.340.0
HÖFEN CTX MID
Sizes: 41 - 47



67.647.0
TERANO GREY CTX MID
Sizes: 36 - 46



67.672.0
LOFOTEN 2.0 BLACK CTX MID
Sizes: 40 - 46



67.671.0 | 65.670.0
LOFOTEN 2.0 BROWN CTX MID | LOW
Sizes: 40 - 46



67.644.0
MONT BLANC CTX MID
Sizes: 39 - 47



65.865.0
EIGER CTX LOW
Sizes: 39 - 47



BOOTS



EN ISO 20345 SICHERHEITSTIEFEL



59.088.0
TITAN S5 CI SRC
PU-SAFETY BOOT
Sizes: 37 - 48



59.089.0
TITAN RIGGER S5 CI SRC
PU-SAFETY BOOT
Sizes: 39 - 49



59.025.0
PROTECTOR PLUS S5 SRC
SAFETY BOOT
Sizes: 39 - 48



20.905.0
POLISH & CARE
CARE PRODUCT
150 ml

EN ISO 20347 OCCUPATIONAL BOOTS



56.401.0 | 56.403.0
GUARDIAN HIGH GREEN | BLACK
NITRILE RUBBER BOOT
Sizes: 36 - 48



56.402.0 | 56.404.0
GUARDIAN MID GREEN | BLACK
NITRILE RUBBER BOOT
Sizes: 36 - 48

NEW
LOOK



59.308.0
THE RANCHER
PVC BOOT
Sizes: 37 - 47



59.018.0
ARKTIS
LINED BOOT
Sizes: 36 - 48

PROFESSIONAL, LEISURE & GARDENING



57.605.0
ARAGON
NATURAL RUBBER BOOT
Sizes: 39 - 47



57.553.0
FOREST ISO
NATURAL RUBBER BOOT
Sizes: 37 - 47



57.554.1
ONYX 2.0
NEOPRENE BOOT
Sizes: 39 - 47



53.601.0
JUWEL
LADIES & KIDS BOOT
Sizes: 27 - 42



55.025.0
PURCEL PROFI
GARDEN CLOG
Sizes: 36 - 47



brown (456)



green (656)



58.152.0
VANCOUVER
LINED LACED BOOT
Sizes: 36 - 47



58.144.0
SCOTIA
LINED LADIES WINTER BOOT
Sizes: 36 - 42



58.112.0
HUDSON
LINED LACED BOOT
Sizes: 36 - 47



58.145.0
TORONTO GREY
LINED LADIES WINTER BOOT
Sizes: 36 - 47



58.902.0
ONTARIO
LINED VELCRO BOOT
Sizes: 36 - 47

EUROPEAN

SAFETY STANDARDS

EN ISO 20345:2012

Safety footwear are shoes certified according to EN ISO 20345:2011. Provided with a toe cap protection, which protective action is tested by an energy of 200 joule, for high stress. The toe cap protection can be made of steel, aluminium or composite.

SAFETY SHOES ACCORDING TO EN ISO 20345:2011						
SYMBOL	REQUIREMENT	SB	S1	S1P	S2	S3
SRA/SRB/SRC	Slip resistance	☉	☉	☉	☉	☉
-	Toe cap protection	☉	☉	☉	☉	☉
P	Anti-Penetration Midsole			☉		☉
-	closed heel area	open heel area possible	☉	☉	☉	☉
FO	Fuel resistance of the sole		☉	☉	☉	☉
A	Antistatic properties		☉	☉	☉	☉
E	Energy absorption capacity in the heel area		☉	☉	☉	☉
WRU	Water resistant upper				☉	☉
-	profiled outsole					☉

Additional requirements:

- HRO:** Heat Resistance Outsole
- SRA:** Slip resistance on clay tile surface which has been lubricated with a wetting agent (Sodium Laurel Sulphate)
- SRB:** Slip resistance on stainless steel surface which has been lubricated with glycerol.
- SRC:** Slip resistance category SRA + SRB
- WR:** Water resistance
- CI:** Cold Insulation
- ESD:** ESD equipment according to DIN EN 61340 with an bleeder resistor in the range of >100 kilohm up to <35 megaohm
- DGUV:** ideal for wearers of orthotic insoles, according to DGUV-rule 112-191

EN ISO 20347:2012

OCCUPATIONAL SHOES WITHOUT TOECAP PROTECTION.



BASIC REQUIREMENTS

e.g. concerning tear strength and water-repellent properties of the upper as well as substance, tear strength, abrasion resistance, resistance to flex cracking the outsole. Can be with open seat region.
(Occupational Basic - OB)



SAFETY CLASS O1

as OB, additionally closed heel area, antistatic, energy absorption of the heel area.

Appropriate for use in **DRY AREAS.**



SAFETY CLASS O2

as O1, additionally water resistant properties.

Appropriate for use in **WET AREAS.**

NEW

EUROPEAN

SAFETY STANDARDS

EN ISO 20345:2022

The norm DIN EN ISO 20345 defines the requirements for safety shoes and was revised in June 2022. Safety footwear are shoes certified according to EN ISO 20345:2011. Provided with a toe cap protection, which protective action is tested by an energy of 200 joule, for high stress. The toe cap protection can be made of steel, aluminium or composite.

SAFETY SHOES ACCORDING TO EN ISO 20345:2022											
SYMBOL	REQUIREMENT	SB	S1	S2	S3	S3L	S3S	S6	S7	S7L	S7S
-	Basic requirements	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉
-	Slip resistance on ceramic tilefloors with NaLS	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉
-	closed seat region	○	☉	☉	☉	☉	☉	☉	☉	☉	☉
A	antistatic properties	○	☉	☉	☉	☉	☉	☉	☉	☉	☉
E	energy absorption of seat region	○	☉	☉	☉	☉	☉	☉	☉	☉	☉
NEW WPA	Water penetration and absorption	○	○	☉	☉	☉	☉	☉	☉	☉	☉
NEW P	Perforation resistance: metalinsert	○	○	○	☉	—	—	○	☉	—	—
NEW PL	Perforation resistance: non-metal insert4,5 mm nail	○	○	○	—	☉	—	○	—	☉	—
NEW PS	Perforation resistance: non-metal insert3,0 mm nail	○	○	○	—	—	☉	○	—	—	☉
-	cleated outsole	○	○	○	☉	☉	☉	○	☉	☉	☉

Additional requirements:

- C** Conductivity
- HI** Heat Insulation
- CI** Cold Insulation
- M** Metatarsal protection
- AN** Ankle protection
- CR** Cut resistance
- NEW SC** Scuff Cap abrasion
- WR** Water resistance
- ∅** Slipresistance not tested (e.g. shoes with metal spikes)
- NEW SR** Slip Resistance clay tile surfac / glycerol.
- HRO** Heat Resistance Outsole
- FO** Resistance to Fuel and Oil
- NEW LG** Ladder Grip
- ESD** ESD equipment according to DIN EN 61340 with an bleeder resistor in the range of >100 kilohm up to <35 megaohm
- DGUV** ideal for wearers of orthotic insoles, according to DGUV-rule 112-191

